

The application of agricultural source material to land.

Ref #	Circumstances	Chemical
1	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
3	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
7	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
9	1.The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of commercial fertilizer to land.

Ref #	Circumstances	Chemical
19	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
21	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
25	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
27	1.The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of non-agricultural source material to land.

Ref #	Circumstances	Chemical
37	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
39	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen
43	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
45	1.The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is at least 40%, but not more than 80% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is at least 0.5 nutrient units per acre but not more than 1.0 nutrient unit per acre.	Nitrogen

The application of pesticide to land.

Ref #	Circumstances	Chemical
55	1.The area of land to which the pesticide is applied is less than 1 hectare.	Atrazine
56		Dicamba

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The application of pesticide to land.

Ref #	Circumstances	Chemical
57		Dichlorophenoxy Acetic Acid (D-2,4)
58		Dichloropropene-1,3
60		MCPA (2-methyl-4-chlorophenoxyacetic acid)
61		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
62		Mecoprop
63		Metalaxyl
64		Metolachlor or s-Metolachlor
65		Pendimethalin
66	1.The area of land to which the pesticide is applied is at least 1 hectare, but not more than 10 hectares.	Atrazine
67		Dicamba
68		Dichlorophenoxy Acetic Acid (D-2,4)
69		Dichloropropene-1,3
70		Glyphosate
72		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
74		Metalaxyl
75		Metolachlor or s-Metolachlor
76		Pendimethalin
81	1.The area of land to which the pesticide is applied is more than 10 hectares.	Glyphosate
87		Pendimethalin

The application of road salt.

Ref #	Circumstances	Chemical
90	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 1, but not more than 8 percent.	Chloride
91		Sodium
92	1.The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is more than 8, but less than 80 percent.	Chloride
93		Sodium

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Application Of Untreated Septage To Land**

Ref #	Circumstances	Chemical
--------------	----------------------	-----------------

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

Ref #	Circumstances	Chemical
96	1.The application of hauled sewage to land. 2.The application area is less than 1 hectare.	Nitrogen
98	1.The application of hauled sewage to land. 2.The application area is at least 1, but not more than 10 hectares.	Nitrogen

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
117	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
122	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is not more than 25 litres.	
132	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
137	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	
138		Petroleum Hydrocarbons F1 (nC6-nC10)
139		Petroleum Hydrocarbons F4 (>nC34)
140		Petroleum Hydrocarbons F2 (>nC10-nC16)
141		Petroleum Hydrocarbons F3 (>nC16-nC34)
142	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
143		Petroleum Hydrocarbons F1 (nC6-nC10)
144		Petroleum Hydrocarbons F4 (>nC34)
145		Petroleum Hydrocarbons F2 (>nC10-nC16)
146		Petroleum Hydrocarbons F3 (>nC16-nC34)
152	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
153		Petroleum Hydrocarbons F1 (nC6-nC10)
154		Petroleum Hydrocarbons F4 (>nC34)
155		Petroleum Hydrocarbons F2 (>nC10-nC16)
156		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
157	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
158		Petroleum Hydrocarbons F1 (nC6-nC10)
159		Petroleum Hydrocarbons F4 (>nC34)
160		Petroleum Hydrocarbons F2 (>nC10-nC16)
161		Petroleum Hydrocarbons F3 (>nC16-nC34)
162	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
163		Petroleum Hydrocarbons F1 (nC6-nC10)
164		Petroleum Hydrocarbons F4 (>nC34)
165		Petroleum Hydrocarbons F2 (>nC10-nC16)
166		Petroleum Hydrocarbons F3 (>nC16-nC34)
172	1.The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
173		Petroleum Hydrocarbons F1 (nC6-nC10)
174		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10-nC16)
176		Petroleum Hydrocarbons F3 (>nC16-nC34)
179	1.The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
180		Petroleum Hydrocarbons F2 (>nC10-nC16)
181		Petroleum Hydrocarbons F3 (>nC16-nC34)
184	1.The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10-nC16)
186		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
127	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is not more than 25 litres.	BTEX
147	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	BTEX
148		Petroleum Hydrocarbons F1 (nC6-nC10)
149		Petroleum Hydrocarbons F4 (>nC34)
150		Petroleum Hydrocarbons F2 (>nC10-nC16)
151		Petroleum Hydrocarbons F3 (>nC16-nC34)
167	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	BTEX
168		Petroleum Hydrocarbons F1 (nC6-nC10)
169		Petroleum Hydrocarbons F4 (>nC34)
170		Petroleum Hydrocarbons F2 (>nC10-nC16)
171		Petroleum Hydrocarbons F3 (>nC16-nC34)
189	1.The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10-nC16)
191		Petroleum Hydrocarbons F3 (>nC16-nC34)

The management of runoff that contains chemicals used in the de-icing of aircraft.

Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
194	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a small airport.	Dioxane-1,4
195		Ethylene Glycol
196	1.Runoff containing de-icing materials may discharge from to land or water. 2.The runoff originates at a regional airport.	Dioxane-1,4
197		Ethylene Glycol

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Grazing and pasturing)

Ref #	Circumstances	Chemical
200	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is less than 0.5 nutrient units per acre.	Nitrogen
202	1.The use of land as livestock grazing or pasturing land. 2.The number of nutrient units generated in the farm unit divided by the number of acres of land that is used for livestock grazing or pasturing land is sufficient to generate nutrients at an annual rate that is at least 0.5 and not more than 1 nutrient unit per acre.	Nitrogen

The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3.

Threat Subcategory: Management Or Handling Of Agricultural Source Material - Agricultural Source Material (ASM) Generation (Yards or confinement)

Ref #	Circumstances	Chemical
206	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of less than 120 nutrient units per hectares of the area annually.	Nitrogen
208	1.The use of land as an outdoor confinement area or a farm-animal yard. 2.The number of animals confined in the area at any time is sufficient to generate agricultural source material at a rate of at least 120 nutrient units and not more than 300 nutrient units per hectares of the area annually.	Nitrogen

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage.

Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
297	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Arsenic or one or more of its compounds containing Arsenic
298		Cadmium or one or more of its compounds containing Cadmium
300		Chromium VI
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
305		Mercury or one or more of its compounds containing Mercury
307		Nitrogen
315	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
316		Arsenic or one or more of its compounds containing Arsenic
317		Cadmium or one or more of its compounds containing Cadmium
318		Chloride
319		Chromium VI
320		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
322		Lead or one or more of its compounds containing Lead
323		Mecoprop
324		Mercury or one or more of its compounds containing Mercury
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
327		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
328		Petroleum Hydrocarbons F1 (nC6-nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10-nC16)
331		Petroleum Hydrocarbons F3 (>nC16-nC34)
333		Zinc or one or more of its compounds containing Zinc
334	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
336		Cadmium or one or more of its compounds containing Cadmium
337		Chloride
339		Copper or one or more of its compounds containing Copper
340		Glyphosate
341		Lead or one or more of its compounds containing Lead
343		Mercury or one or more of its compounds containing Mercury
344		Nickel or one or more of its compounds containing Nickel
345		Nitrogen
346		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
347		Petroleum Hydrocarbons F1 (nC6-nC10)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
348		Petroleum Hydrocarbons F4 (>nC34)
349		Petroleum Hydrocarbons F2 (>nC10-nC16)
350		Petroleum Hydrocarbons F3 (>nC16-nC34)
352		Zinc or one or more of its compounds containing Zinc
354	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Arsenic or one or more of its compounds containing Arsenic
357		Chromium VI
361		Mecoprop
372	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
373		Arsenic or one or more of its compounds containing Arsenic
374		Cadmium or one or more of its compounds containing Cadmium
375		Chloride
376		Chromium VI
379		Lead or one or more of its compounds containing Lead
380		Mecoprop
381		Mercury or one or more of its compounds containing Mercury
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
384		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
385		Petroleum Hydrocarbons F1 (nC6-nC10)
391	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
392		Arsenic or one or more of its compounds containing Arsenic
393		Cadmium or one or more of its compounds containing Cadmium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
394		Chloride
395		Chromium VI
396		Copper or one or more of its compounds containing Copper
397		Glyphosate
398		Lead or one or more of its compounds containing Lead
399		Mecoprop
400		Mercury or one or more of its compounds containing Mercury
401		Nickel or one or more of its compounds containing Nickel
402		Nitrogen
403		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
404		Petroleum Hydrocarbons F1 (nC6-nC10)
405		Petroleum Hydrocarbons F4 (>nC34)
406		Petroleum Hydrocarbons F2 (>nC10-nC16)
407		Petroleum Hydrocarbons F3 (>nC16-nC34)
409		Zinc or one or more of its compounds containing Zinc
410	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
413		Chloride
415		Copper or one or more of its compounds containing Copper
416		Glyphosate
420		Nickel or one or more of its compounds containing Nickel
422		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
423		Petroleum Hydrocarbons F1 (nC6-nC10)
424		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
425		Petroleum Hydrocarbons F2 (>nC10-nC16)
426		Petroleum Hydrocarbons F3 (>nC16-nC34)
428		Zinc or one or more of its compounds containing Zinc
430	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Arsenic or one or more of its compounds containing Arsenic
431		Cadmium or one or more of its compounds containing Cadmium
433		Chromium VI
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
438		Mercury or one or more of its compounds containing Mercury
440		Nitrogen
448	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
449		Arsenic or one or more of its compounds containing Arsenic
450		Cadmium or one or more of its compounds containing Cadmium
451		Chloride
452		Chromium VI
453		Copper or one or more of its compounds containing Copper
455		Lead or one or more of its compounds containing Lead
456		Mecoprop
457		Mercury or one or more of its compounds containing Mercury
458		Nickel or one or more of its compounds containing Nickel
459		Nitrogen
460		one or more Polycyclic Aromatic Hydrocarbons (PAHs)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
461		Petroleum Hydrocarbons F1 (nC6-nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10-nC16)
464		Petroleum Hydrocarbons F3 (>nC16-nC34)
466		Zinc or one or more of its compounds containing Zinc
467	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
469		Cadmium or one or more of its compounds containing Cadmium
470		Chloride
472		Copper or one or more of its compounds containing Copper
473		Glyphosate
474		Lead or one or more of its compounds containing Lead
476		Mercury or one or more of its compounds containing Mercury
477		Nickel or one or more of its compounds containing Nickel
478		Nitrogen
479		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
480		Petroleum Hydrocarbons F1 (nC6-nC10)
481		Petroleum Hydrocarbons F4 (>nC34)
482		Petroleum Hydrocarbons F2 (>nC10-nC16)
483		Petroleum Hydrocarbons F3 (>nC16-nC34)
485		Zinc or one or more of its compounds containing Zinc
491	1.The system is a storm water management facility designed to discharge storm water to land or surface water. 2.The drainage area associated with the storm water management facility is more than 100 hectares and the predominant land uses in the area are industrial or commercial.	Copper or one or more of its compounds containing Copper
492		Glyphosate

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

Ref #	Circumstances	Chemical
500		Petroleum Hydrocarbons F4 (>nC34)
501		Petroleum Hydrocarbons F2 (>nC10-nC16)
502		Petroleum Hydrocarbons F3 (>nC16-nC34)
504		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
631	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey not more than 250 cubic metres of sewage per day.	BTEX
632		Cadmium or one or more of its compounds containing Cadmium
636		Lead or one or more of its compounds containing Lead
637		Mercury or one or more of its compounds containing Mercury
638		Nitrogen
643	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 250, but not more than 1,000 cubic metres of sewage per day.	BTEX
644		Cadmium or one or more of its compounds containing Cadmium
645		Copper or one or more of its compounds containing Copper
647		Hexachlorobenzene
648		Lead or one or more of its compounds containing Lead
649		Mercury or one or more of its compounds containing Mercury
650		Nitrogen
651		one or more Polychlorinated Biphenyls (PCBs)
652		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
653		Pentachlorophenol

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes

Ref #	Circumstances	Chemical
655		Zinc or one or more of its compounds containing Zinc
656	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 1,000, but not more than 10,000 cubic metres of sewage per day.	BTEX
657		Cadmium or one or more of its compounds containing Cadmium
658		Copper or one or more of its compounds containing Copper
659		Dichlorobenzidine-3,3'
660		Hexachlorobenzene
661		Lead or one or more of its compounds containing Lead
662		Mercury or one or more of its compounds containing Mercury
663		Nitrogen
664		one or more Polychlorinated Biphenyls (PCBs)
665		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
666		Pentachlorophenol
668		Zinc or one or more of its compounds containing Zinc
671	1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
679		Pentachlorophenol
681		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
695	1.The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2.The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Septic System

Ref #	Circumstances	Chemical
700		Sodium

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
808	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
809		Arsenic or one or more of its compounds containing Arsenic
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
814		Chromium VI
820		Dichlorophenol-2,4
822		Lead or one or more of its compounds containing Lead
823		MCPA (2-methyl-4-chlorophenoxyacetic acid)
824		Mercury or one or more of its compounds containing Mercury
826		Nitrogen
827		Nitrosodimethylamine-N (NDMA)
832	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
833		Arsenic or one or more of its compounds containing Arsenic
834		Barium
835		BTEX
836		Cadmium or one or more of its compounds containing Cadmium
837		Chlorophenol-2
838		Chromium VI
839		Copper or one or more of its compounds containing Copper
840		Cyanide (CN-)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
841		Dibutyl phthalate
842		Dichlorobenzene-1,2 (ortho)
843		Dichlorobenzene-1,4 (para)
844		Dichlorophenol-2,4
845		Ethylene Glycol
846		Lead or one or more of its compounds containing Lead
847		MCPA (2-methyl-4-chlorophenoxyacetic acid)
848		Mercury or one or more of its compounds containing Mercury
849		Nickel or one or more of its compounds containing Nickel
850		Nitrogen
851		Nitrosodimethylamine-N (NDMA)
852		Phenol (or its salts)
854		Silver or one or more of its compounds containing Silver
855		Zinc or one or more of its compounds containing Zinc
858	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Barium
859		BTEX
860		Cadmium or one or more of its compounds containing Cadmium
861		Chlorophenol-2
863		Copper or one or more of its compounds containing Copper
864		Cyanide (CN-)
865		Dibutyl phthalate
866		Dichlorobenzene-1,2 (ortho)
867		Dichlorobenzene-1,4 (para)
868		Dichlorophenol-2,4
869		Ethylene Glycol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
870		Lead or one or more of its compounds containing Lead
872		Mercury or one or more of its compounds containing Mercury
873		Nickel or one or more of its compounds containing Nickel
874		Nitrogen
875		Nitrosodimethylamine-N (NDMA)
876		Phenol (or its salts)
878		Silver or one or more of its compounds containing Silver
879		Zinc or one or more of its compounds containing Zinc
887	1.The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2.The system is designed to discharge treated sanitary sewage at average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
889		Dibutyl phthalate
903		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
916	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
917		Cadmium or one or more of its compounds containing Cadmium
920		Lead or one or more of its compounds containing Lead
921		Mercury or one or more of its compounds containing Mercury
922		Nitrogen
923		Nitrosodimethylamine-N (NDMA)
926		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
927		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
929	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX
930		Cadmium or one or more of its compounds containing Cadmium
933		Lead or one or more of its compounds containing Lead
934		Mercury or one or more of its compounds containing Mercury
935		Nitrogen
936		Nitrosodimethylamine-N (NDMA)
939		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
940		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
953	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
955	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
956		Cadmium or one or more of its compounds containing Cadmium
957		Copper or one or more of its compounds containing Copper
958		Hexachlorobenzene
959		Lead or one or more of its compounds containing Lead
960		Mercury or one or more of its compounds containing Mercury
961		Nitrogen
962		Nitrosodimethylamine-N (NDMA)
963		one or more Polychlorinated Biphenyls (PCBs)
964		Pentachlorophenol

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
965		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
966		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
967		Zinc or one or more of its compounds containing Zinc
968	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
970		Copper or one or more of its compounds containing Copper
971		Hexachlorobenzene
972		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
974		Nitrogen
975		Nitrosodimethylamine-N (NDMA)
976		one or more Polychlorinated Biphenyls (PCBs)
977		Pentachlorophenol
978		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
980		Zinc or one or more of its compounds containing Zinc
981	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
985		Lead or one or more of its compounds containing Lead

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
991		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
994	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
996		Copper or one or more of its compounds containing Copper
997		Hexachlorobenzene
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1003		Pentachlorophenol
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1006		Zinc or one or more of its compounds containing Zinc
1007	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012		Mercury or one or more of its compounds containing Mercury
1013		Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1019		Zinc or one or more of its compounds containing Zinc
1020	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1032		Zinc or one or more of its compounds containing Zinc
1035	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1042		Pentachlorophenol
1045		Zinc or one or more of its compounds containing Zinc
1048	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1055		Pentachlorophenol
1058		Zinc or one or more of its compounds containing Zinc
1059	1.The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2.The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1060		Cadmium or one or more of its compounds containing Cadmium
1061		Copper or one or more of its compounds containing Copper
1062		Hexachlorobenzene
1063		Lead or one or more of its compounds containing Lead
1064		Mercury or one or more of its compounds containing Mercury
1065		Nitrogen
1066		Nitrosodimethylamine-N (NDMA)
1067		one or more Polychlorinated Biphenyls (PCBs)
1068		Pentachlorophenol
1069		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1071		Zinc or one or more of its compounds containing Zinc

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1129		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1131		Mecoprop
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1140		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1142		Mecoprop
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)
1149		Dichloropropene-1,3
1151		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1152		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of pesticide.

Threat Subcategory: Storage Of A Pesticide

Ref #	Circumstances	Chemical
1162		MCPA (2-methyl-4-chlorophenoxyacetic acid)
1163		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1168	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1169		Dicamba
1170		Dichlorophenoxy Acetic Acid (D-2,4)
1171		Dichloropropene-1,3
1172		Glyphosate
1174		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1179	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Atrazine
1180		Dicamba
1181		Dichlorophenoxy Acetic Acid (D-2,4)
1182		Dichloropropene-1,3
1183		Glyphosate
1185		MCPB (4-(4-chloro-2-methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin
1194	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1200		Pendimethalin

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1201	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1203	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1205	1.The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1207	1.A portion, but not all, of the agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	
1209	1.The agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1211	1.The agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	

The handling and storage of an organic solvent.

Threat Subcategory: Storage Of An Organic Solvent

Ref #	Circumstances	Chemical
1225	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1229	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1230		Chloroform
1231		Methylene Chloride (Dichloromethane)
1232		Pentachlorophenol
1233	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1242	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Chloroform
1243		Methylene Chloride (Dichloromethane)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of an organic solvent.****Threat Subcategory: Storage Of An Organic Solvent**

Ref #	Circumstances	Chemical
1244		Pentachlorophenol
1246	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Chloroform
1247		Methylene Chloride (Dichloromethane)
1248		Pentachlorophenol
1250	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Chloroform
1251		Methylene Chloride (Dichloromethane)
1252		Pentachlorophenol
1256	1.The organic solvent is stored in a container that is located below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1260	1.The organic solvent is stored in a container a part of which, but not all, is below grade. 2.The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1264	1.The organic solvent is stored in a container at or above grade. 2.The quantity of organic solvent stored is more than 2,500 litres.	Pentachlorophenol

The handling and storage of commercial fertilizer.**Threat Subcategory: Storage Of Commercial Fertilizer**

Ref #	Circumstances	Chemical
1275	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1277	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1279	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	
1281	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1283	1.The commercial fertilizer is stored for retail sale or in relation to its application. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	
1285	1.The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2.The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 2,500 kilograms.	Nitrogen

The handling and storage of fuel.**Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1294	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1299	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	
1300		Petroleum Hydrocarbons F1 (nC6-nC10)
1301		Petroleum Hydrocarbons F4 (>nC34)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1302		Petroleum Hydrocarbons F2 (>nC10-nC16)
1303		Petroleum Hydrocarbons F3 (>nC16-nC34)
1304	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1305		Petroleum Hydrocarbons F1 (nC6-nC10)
1306		Petroleum Hydrocarbons F4 (>nC34)
1307		Petroleum Hydrocarbons F2 (>nC10-nC16)
1308		Petroleum Hydrocarbons F3 (>nC16-nC34)
1309	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6-nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10-nC16)
1313		Petroleum Hydrocarbons F3 (>nC16-nC34)
1314	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1315		Petroleum Hydrocarbons F1 (nC6-nC10)
1316		Petroleum Hydrocarbons F4 (>nC34)
1317		Petroleum Hydrocarbons F2 (>nC10-nC16)
1318		Petroleum Hydrocarbons F3 (>nC16-nC34)
1319	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1324	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1325		Petroleum Hydrocarbons F1 (nC6-nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1327		Petroleum Hydrocarbons F2 (>nC10-nC16)
1328		Petroleum Hydrocarbons F3 (>nC16-nC34)
1329	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1330		Petroleum Hydrocarbons F1 (nC6-nC10)
1331		Petroleum Hydrocarbons F4 (>nC34)
1332		Petroleum Hydrocarbons F2 (>nC10-nC16)
1333		Petroleum Hydrocarbons F3 (>nC16-nC34)
1334	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1335		Petroleum Hydrocarbons F1 (nC6-nC10)
1336		Petroleum Hydrocarbons F4 (>nC34)
1337		Petroleum Hydrocarbons F2 (>nC10-nC16)
1338		Petroleum Hydrocarbons F3 (>nC16-nC34)
1339	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6-nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10-nC16)
1343		Petroleum Hydrocarbons F3 (>nC16-nC34)
1344	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6-nC10)
1346		Petroleum Hydrocarbons F4 (>nC34)
1347		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of fuel.

Threat Subcategory: Storage Of Fuel

Ref #	Circumstances	Chemical
1348		Petroleum Hydrocarbons F3 (>nC16-nC34)
1349	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6-nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10-nC16)
1353		Petroleum Hydrocarbons F3 (>nC16-nC34)
1354	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1355		Petroleum Hydrocarbons F1 (nC6-nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10-nC16)
1358		Petroleum Hydrocarbons F3 (>nC16-nC34)
1361	1.The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10-nC16)
1363		Petroleum Hydrocarbons F3 (>nC16-nC34)
1366	1.The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10-nC16)
1368		Petroleum Hydrocarbons F3 (>nC16-nC34)
1371	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1372		Petroleum Hydrocarbons F2 (>nC10-nC16)
1373		Petroleum Hydrocarbons F3 (>nC16-nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The handling and storage of fuel.****Threat Subcategory: Storage Of Fuel**

Ref #	Circumstances	Chemical
1376	1.The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1377		Petroleum Hydrocarbons F2 (>nC10-nC16)
1378		Petroleum Hydrocarbons F3 (>nC16-nC34)
1379	1.The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2.The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1380		Petroleum Hydrocarbons F1 (nC6-nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10-nC16)
1383		Petroleum Hydrocarbons F3 (>nC16-nC34)
1386	1.The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2.The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F4 (>nC34)
1387		Petroleum Hydrocarbons F2 (>nC10-nC16)
1388		Petroleum Hydrocarbons F3 (>nC16-nC34)

The handling and storage of non-agricultural source material.**Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)**

Ref #	Circumstances	Chemical
1409	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1411	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1413	1.The non-agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1415	1.A portion, but not all, of the non-agricultural source material is stored above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	
1417	1.The non-agricultural source material is stored at or above grade in or on a permanent nutrient storage facility. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	Nitrogen
1419	1.The non-agricultural source material is stored at or above grade on a temporary field nutrient storage site. 2.The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more than 5 tonnes.	

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1433	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is less than 500 tonnes.	Chloride
1434		Sodium

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1437	1.The storage of road salt in a manner that may result in its exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1438		Sodium
1439	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium
1443	1.The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2.The quantity stored is more than 5,000 tonnes.	Chloride
1444		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1445	1.The snow is stored at or above grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1446		Copper or one or more of its compounds containing Copper
1447		Cyanide (CN-)
1448		Lead or one or more of its compounds containing Lead
1449		Nitrogen
1450		Petroleum Hydrocarbons F1 (nC6-nC10)
1451		Petroleum Hydrocarbons F4 (>nC34)
1452		Petroleum Hydrocarbons F2 (>nC10-nC16)
1453		Petroleum Hydrocarbons F3 (>nC16-nC34)
1454		Sodium
1455		Zinc or one or more of its compounds containing Zinc
1456	1.The snow is stored below grade. 2.The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1461		Petroleum Hydrocarbons F1 (nC6-nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10-nC16)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1464		Petroleum Hydrocarbons F3 (>nC16-nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1467	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1468		Copper or one or more of its compounds containing Copper
1469		Cyanide (CN-)
1470		Lead or one or more of its compounds containing Lead
1471		Nitrogen
1472		Petroleum Hydrocarbons F1 (nC6-nC10)
1473		Petroleum Hydrocarbons F4 (>nC34)
1474		Petroleum Hydrocarbons F2 (>nC10-nC16)
1475		Petroleum Hydrocarbons F3 (>nC16-nC34)
1476		Sodium
1477		Zinc or one or more of its compounds containing Zinc
1479	1.The snow is stored below grade. 2.The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Copper or one or more of its compounds containing Copper
1484		Petroleum Hydrocarbons F4 (>nC34)
1485		Petroleum Hydrocarbons F2 (>nC10-nC16)
1486		Petroleum Hydrocarbons F3 (>nC16-nC34)
1488		Zinc or one or more of its compounds containing Zinc
1489	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1490		Copper or one or more of its compounds containing Copper
1491		Cyanide (CN-)
1494		Petroleum Hydrocarbons F1 (nC6-nC10)
1495		Petroleum Hydrocarbons F4 (>nC34)

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The storage of snow.

Ref #	Circumstances	Chemical
1496		Petroleum Hydrocarbons F2 (>nC10-nC16)
1497		Petroleum Hydrocarbons F3 (>nC16-nC34)
1498		Sodium
1499		Zinc or one or more of its compounds containing Zinc
1512	1.The snow is stored at or above grade. 2.The area upon which snow is stored is more than 5 hectares.	Copper or one or more of its compounds containing Copper
1517		Petroleum Hydrocarbons F4 (>nC34)
1518		Petroleum Hydrocarbons F2 (>nC10-nC16)
1519		Petroleum Hydrocarbons F3 (>nC16-nC34)
1521		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1536	1.Tailings from mining operations are stored in a pit. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1540		Nickel or one or more of its compounds containing Nickel
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1546	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1547		Cadmium or one or more of its compounds containing Cadmium
1548		Chromium VI
1550		Cyanide (CN-)
1551		Lead or one or more of its compounds containing Lead

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1552		Mercury or one or more of its compounds containing Mercury
1553		Nickel or one or more of its compounds containing Nickel
1554		Nitrogen
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1573	1.Tailings from mining operations are stored using an impoundment structure located on the surface. 2.The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Cadmium or one or more of its compounds containing Cadmium
1575		Copper or one or more of its compounds containing Copper
1576		Cyanide (CN-)
1577		Lead or one or more of its compounds containing Lead
1578		Mercury or one or more of its compounds containing Mercury
1579		Nickel or one or more of its compounds containing Nickel
1580		Nitrogen
1582		Silver or one or more of its compounds containing Silver
1583		Sulphide (Hydrogen)
1584		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1585	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is not more than 1 hectare.	BTEX
1586		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1587		Petroleum Hydrocarbons F1 (nC6-nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate**The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste**

Ref #	Circumstances	Chemical
1589		Petroleum Hydrocarbons F2 (>nC10-nC16)
1590		Petroleum Hydrocarbons F3 (>nC16-nC34)
1591	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 1, but not more than 10 hectares.	BTEX
1592		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
1593		Petroleum Hydrocarbons F1 (nC6-nC10)
1594		Petroleum Hydrocarbons F4 (>nC34)
1595		Petroleum Hydrocarbons F2 (>nC10-nC16)
1596		Petroleum Hydrocarbons F3 (>nC16-nC34)
1600	1.The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2.The area where the land disposal is undertaken is more than 10 hectares.	Petroleum Hydrocarbons F4 (>nC34)
1601		Petroleum Hydrocarbons F2 (>nC10-nC16)
1602		Petroleum Hydrocarbons F3 (>nC16-nC34)

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1604	1.The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1640	1.The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1676	1.The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The fill area is less than 1 hectare.	Barium
1677		BTEX
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)

Ref #	Circumstances	Chemical
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1711	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is not more than 380 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1712		Atrazine
1713		Barium
1715		Bis(2-ethylhexyl) phthalate
1716		BTEX
1717		Cadmium or one or more of its compounds containing Cadmium
1718		Carbofuran
1719		Chlorobenzene
1720		Copper or one or more of its compounds containing Copper
1721		Cyanide (CN-)
1722		Dichlorobenzene-1,2 (ortho)
1723		Dichlorobenzene-1,4 (para)
1724		Hexachlorobenzene
1725		Hexachlorocyclopentadiene
1726		Lead or one or more of its compounds containing Lead
1727		Mercury or one or more of its compounds containing Mercury
1728		one or more Polychlorinated Biphenyls (PCBs)
1729		Oxamyl
1730		Trichlorobenzene-1,2,4

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1731		Trichloroethane-1,1,1
1732		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1733		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1734		Zinc or one or more of its compounds containing Zinc
1735	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380 but not more than 3,800 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1736		Atrazine
1737		Barium
1738		Bis(2-ethylhexyl) adipate
1739		Bis(2-ethylhexyl) phthalate
1740		BTEX
1741		Cadmium or one or more of its compounds containing Cadmium
1742		Carbofuran
1743		Chlorobenzene
1744		Copper or one or more of its compounds containing Copper
1745		Cyanide (CN-)
1746		Dichlorobenzene-1,2 (ortho)
1747		Dichlorobenzene-1,4 (para)
1748		Hexachlorobenzene
1749		Hexachlorocyclopentadiene
1750		Lead or one or more of its compounds containing Lead
1751		Mercury or one or more of its compounds containing Mercury
1752		one or more Polychlorinated Biphenyls (PCBs)
1753		Oxamyl
1754		Trichlorobenzene-1,2,4
1755		Trichloroethane-1,1,1

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. **Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well**

Ref #	Circumstances	Chemical
1756		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1758		Zinc or one or more of its compounds containing Zinc
1760	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800 but not more than 38,000 cubic metres per year.	Atrazine
1761		Barium
1762		Bis(2-ethylhexyl) adipate
1763		Bis(2-ethylhexyl) phthalate
1764		BTEX
1765		Cadmium or one or more of its compounds containing Cadmium
1766		Carbofuran
1767		Chlorobenzene
1768		Copper or one or more of its compounds containing Copper
1769		Cyanide (CN-)
1770		Dichlorobenzene-1,2 (ortho)
1771		Dichlorobenzene-1,4 (para)
1772		Hexachlorobenzene
1773		Hexachlorocyclopentadiene
1774		Lead or one or more of its compounds containing Lead
1775		Mercury or one or more of its compounds containing Mercury
1776		one or more Polychlorinated Biphenyls (PCBs)
1777		Oxamyl
1778		Trichlorobenzene-1,2,4
1779		Trichloroethane-1,1,1
1780		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1782		Zinc or one or more of its compounds containing Zinc

A blank cell indicates the text is the same as previous cells

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1785	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year.	Barium
1786		Bis(2-ethylhexyl) adipate
1787		Bis(2-ethylhexyl) phthalate
1791		Chlorobenzene
1792		Copper or one or more of its compounds containing Copper
1793		Cyanide (CN-)
1794		Dichlorobenzene-1,2 (ortho)
1795		Dichlorobenzene-1,4 (para)
1796		Hexachlorobenzene
1797		Hexachlorocyclopentadiene
1800		one or more Polychlorinated Biphenyls (PCBs)
1802		Trichlorobenzene-1,2,4
1806		Zinc or one or more of its compounds containing Zinc
1810	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1816		Copper or one or more of its compounds containing Copper
1821		Hexachlorocyclopentadiene
1830		Zinc or one or more of its compounds containing Zinc
1834	1.The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2.The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Bis(2-ethylhexyl) adipate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1880	1.PCB waste stored in drums above or at grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)

PROVINCIAL TABLE 3 (CW10M): Chemicals in a WHPA with a vulnerability score of 10 where threats are moderate

The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act.

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General – Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1916		Cadmium or one or more of its compounds containing Cadmium
1918		Dichlorophenoxy Acetic Acid (D-2,4)
1919		Lead or one or more of its compounds containing Lead
1920		Mercury or one or more of its compounds containing Mercury
1921		Selenium or one or more of its compounds containing Selenium
1922		Silver or one or more of its compounds containing Silver
1923		Trichlorophenoxyacetic acid-2,4,5